

Tobacco in Australia

Facts & Issues

Relevant news and research

11A.8 Experimental research on the effects of plain packaging

Last updated July 2024

Research:	1
11A.8.1 Major reviews of plain packaging	5
11A.8.2 Future directions for packaging regulations.....	5
News reports:.....	7
11A.8.2 Future directions for packaging regulations.....	8

Research:

Stone, M, Dimofte, C, Strong, D, Pulvers, K, Crespo, NC, Leas, EC, & Pierce, JP. (2022). Evaluating US smokers' willingness to pay for different cigarette packaging designs before and after real-world exposure in a randomised trial. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35232793>

Sillero-Rejon, C, Mahmoud, O, Tamayo, RM, Clavijo-Alvarez, AA, Adams, S, & Maynard, OM. (2021). Standardised packs and larger health warnings: visual attention and perceptions among Colombian smokers and non-smokers. *Addiction*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34882868>

Lee, JGL, O'Brien, KF, Blanchflower, TM, Swanson, G, Averett, PE, & Gregory, KR. (2021). Changes to cigarette packaging influence US consumers' choices: Results of two discrete-choice experiments to inform regulation. *Tob Induc Dis*, 19, 70. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34602934>

Salgado, MV, Penko, J, Fernandez, A, & Mejia, R. (2021). Modelling the impact of plain packaging of tobacco products on cardiovascular disease in Argentina. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34261789>

BinDhim, NF, Althumiri, NA, Basyouni, MH, Alzubair, RA, Alkhamaali, Z, Banjar, W et al (2021). Reporting of Differences in Taste Between Branded and Unbranded Cigarettes by Smokers Blinded to Cigarette Branding: Within-Person, Randomized Crossover Study. *JMIR Form Res*, 5(5), e24446. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33988511>

Delnevo, CD, Jeong, M, Ganz, O, Giovenco, DP & Miller Lo, E. (2021). The Effect of Cigarillo Packaging Characteristics on Young Adult Perceptions and Intentions: An Experimental Study. *Int J Environ Res Public Health*, 18(8). Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/33921793>

Barrientos-Gutierrez, I, Islam, F, Cho, YJ, Salloum, RG, Louviere, J, Arillo-Santillan, E et al (2020). Assessing cigarette packaging and labelling policy effects on early adolescents: results from a discrete choice experiment. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32665358>

Nazar, GP, Arora, M, Gupta, VK, Rawal, T, Yadav, A, Kannuri, NK et al. (2019). Adolescent and adult perceptions of the effects of larger size graphic health warnings on conventional and plain tobacco packs in India: A community-based cross-sectional study. *Tob Induc Dis*, 17, 70. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31636525>

Bhat, A, Shilpashree, KB, Krishnamurthy, A, Manjunath, C, Shwetha, R, & Madhusudhan, S. Adolescent's Perception about the Introduction of New Cigarette Packaging and Plain Packaging of Cigarette Packs: A Qualitative Study. *Indian J Community Med*, 2018. 43(Suppl 1), S47-S51. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30686875>

Melendez-Torres, GJ, Thomas, J, Lorenc, T, O'Mara-Eves, A, & Petticrew, M. Just how plain are plain tobacco packs: re-analysis of a systematic review using multilevel meta-analysis suggests lessons about the comparative benefits of synthesis methods. *Syst Rev*, 2018. 7(1), 153. Available from: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6173910/pdf/13643_2018_Article_821.pdf

Mostafa, A, Mohammed, HT, Hussein, WM, Elhabiby, M, Safwat, W, Labib, S et al. Plain packaging of waterpipe tobacco? A qualitative analysis exploring waterpipe smokers' and non-smokers' responses to enhanced versus existing pictorial health warnings in Egypt. *BMJ Open*, 2018. 8(10), e023496. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6224725/pdf/bmjopen-2018-023496.pdf>

Skaczkowski G, Durkin S, Kashima Y, and Wakefield M. Influence of premium vs masked cigarette brand names on the experienced taste of a cigarette after tobacco plain packaging in australia: An experimental study. *BMC Public Health*, 2018; 18(1):295. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29526164>

Perkins KA and Karelitz JL. Acute perceptions of preferred cigarettes when blinded to brand. *Tobacco Control*, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29991640>

Lilic N, Stretton M, and Prakash M. How effective is the plain packaging of tobacco policy on rates of intention to quit smoking and changing attitudes to smoking? ANZ J Surg, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29873162>

Lacave-Garcia B, Rey-Pino JM, Gallopel-Morvan K, Moodie C, Fernandez E, et al. Perceptions of plain cigarette packaging among smokers and non-smokers in andalusia (spain). Gac Sanit, 2018. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30025724>

Webb H, Jones BM, McNeill K, Lim L, Frain AJ, et al. Smoke signals: The decline of brand identity predicts reduced smoking behaviour following the introduction of plain packaging. Addictive Behaviors Reports, 2017; 5:49-55. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29450227>

Mucan B and Moodie C. Young adult smokers' perceptions of plain packs, numbered packs and pack inserts in turkey: A focus group study. Tobacco Control, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29123023>

Moodie C, Gendall P, Hoek J, MacKintosh AM, Best C, et al. The response of young adult smokers and non-smokers in the united kingdom to dissuasive cigarettes: An online survey. Nicotine & Tobacco Research, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29190398>

Leas EC, Pierce JP, Dimofte CV, Trinidad DR, and Strong DR. Standardised cigarette packaging may reduce the implied safety of natural american spirit cigarettes. Tobacco Control, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29255011>

Hoek J and Gendall P. Policy options for extending standardized tobacco packaging. Bull World Health Organ, 2017; 95(10):726-8. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/29147047>

Harris JE, Ares G, Gerstenbluth M, Machin L, and Triunfo P. Impact of plain packaging of cigarettes on the risk perception of uruguayan smokers: An experimental study. Tobacco Control, 2017. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28887428>

Nonnemaker J, Kim A, Shafer P, Loomis B, Hill E, et al. Influence of point-of-sale tobacco displays and plain black and white cigarette packaging and advertisements on adults: Evidence from a virtual store experimental study. Addictive Behaviors, 2016; 56:15-22. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26785362>

Mutti S, Hammond D, Reid JL, White CM, and Thrasher JF. Perceptions of branded and plain cigarette packaging among mexican youth. Health Promot Int, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26826368>

Hughes N, Arora M, and Grills N. Perceptions and impact of plain packaging of tobacco products in low and middle income countries, middle to upper income countries and low-income settings in high-income countries: A systematic review of the literature. BMJ Open, 2016; 6(3):e010391. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27000787>

Hopkinson NS. What comes after standardised packaging for tobacco? British Medical Journal, 2016; 353:i2935. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27221158>

Gendall P, Eckert C, Hoek J, Farley T, Louviere J, et al. Estimating the 'consumer surplus' for branded versus standardised tobacco packaging. *Tobacco Control*, 2016; 25(6):641-7. Available from: <http://tobaccocontrol.bmj.com/content/25/6/641.abstract>

Andrews JC, Netemeyer RG, Burton S, and Kees J. Effects of plain package branding and graphic health warnings on adolescent smokers in the USA, Spain and France. *Tobacco Control*, 2016. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/27091642>

Yong HH, Borland R, Hammond D, Thrasher JF, Cummings KM, et al. Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: Findings from the ITC Australia project. *Tobacco Control*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25700365>

Sposato B, Lenzi PA, and Carelli MR. Could cigarette packaging be used as a tool to make prevention of smoke-induced respiratory diseases? *Med Hypotheses*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26364042>

Smith CN, Kraemer JD, Johnson AC, and Mays D. Plain packaging of cigarettes: Do we have sufficient evidence? *Risk Manag Healthc Policy*, 2015; 8:21-30. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25897269>

McKeganey N and Russell C. Tobacco plain packaging: Evidence based policy or public health advocacy? *Int J Drug Policy*, 2015; 26(6):560-8. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26041731>

Maynard O, Leonards U, Attwood A, Bauld L, Hogarth L, et al. Effects of first exposure to plain cigarette packaging on smoking behaviour and attitudes: A randomised controlled study. *BMC Public Health*, 2015; 15:240. Available from: <http://www.biomedcentral.com/1471-2458/15/240>

<http://www.ncbi.nlm.nih.gov/pubmed/25880278>

Laverty AA, Diethelm P, Hopkinson NS, Watt HC, and McKee M. Use and abuse of statistics in tobacco industry-funded research on standardised packaging. *Tobacco Control*, 2015; 24(5):422-4. Available from: <http://tobaccocontrol.bmj.com/content/24/5/422.abstract>

Hoek J, Gendall P, Eckert C, and Louviere J. Dissuasive cigarette sticks: The next step in standardised ('plain') packaging? *Tobacco Control*, 2015. Available from: <http://tobaccocontrol.bmj.com/content/early/2015/12/23/tobaccocontrol-2015-052533.full>

<http://www.ncbi.nlm.nih.gov/pubmed/26676026>

Gallopel-Morvan K. [Is tobacco plain packaging effective in tobacco control?]. *Rev Prat*, 2015; 65(8):1018-20. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26749695>

Brassart Olsen C. Evidence brief: Plain packaging of tobacco products: Measures to decrease smoking initiation and increase cessation. Europe: World Health Organization, 2015. Available from: http://www.euro.who.int/_data/assets/pdf_file/0011/268796/Plain-packaging-of-tobacco-products,-Evidence-Brief-Eng.pdf?ua=1.

Bell K, Dennis S, Robinson J, and Moore R. Does the hand that controls the cigarette packet rule the smoker? Findings from ethnographic interviews with smokers in Canada, Australia, the United

kingdom and the USA. *Social Science & Medicine*, 2015; 142:136-44. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26301486>

Babineau K and Clancy L. Young people's perceptions of tobacco packaging: A comparison of eu tobacco products directive & ireland's standardisation of tobacco act. *BMJ Open*, 2015; 5(6):e007352. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26048206>

Auemaneekul N, Silpasuwan P, Sirichotiratana N, Satitvipawee P, Sompopcharoen M, et al. The impact of cigarette plain packaging on health warning salience and perceptions: Implications for public health policy. *Asia Pac J Public Health*, 2015. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/26310869>

Moodie C, Bauld L, Ford A, and Mackintosh AM. Young women smokers' response to using plain cigarette packaging: Qualitative findings from a naturalistic study. *BMC Public Health*, 2014; 14:812. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/25100245>

Magnusson RS. The association between tobacco plain packaging and quitline calls. *Medical Journal of Australia*, 2014; 200(6):314-5. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24702080>

Hammond D, White C, Anderson W, Arnott D, and Dockrell M. The perceptions of uk youth of branded and standardized, 'plain' cigarette packaging. *European Journal of Public Health*, 2014; 24(4):537-43. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24108274>

Guillaumier A, Bonevski B, Paul C, Durkin S, and D'Este C. Socioeconomically disadvantaged smokers' ratings of plain and branded cigarette packaging: An experimental study. *BMJ Open*, 2014; 4(2):e004078. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24503299>

Scheffels J and Lund I. The impact of cigarette branding and plain packaging on perceptions of product appeal and risk among young adults in norway: A between-subjects experimental survey. *BMJ Open*, 2013; 3(12):e003732. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24309171>

Lund I and Scheffels J. Young smokers and non-smokers perceptions of typical users of plain vs. Branded cigarette packs: A between-subjects experimental survey. *BMC Public Health*, 2013; 13:1005. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24156515>

Arora M, Tewari A, Grills N, Nazar GP, Sonrexa J, et al. Exploring perception of indians about plain packaging of tobacco products: A mixed method research. *Front Public Health*, 2013; 1:35. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24350204>

Plain tobacco packs up urgency to kick the habit. *Community Pract*, 2013; 86(9):4. Available from: <http://www.ncbi.nlm.nih.gov/pubmed/24133934>

11A.8.1 Major reviews of plain packaging

Drovandi, A, Teague, PA, Glass, B, & Malau-Aduli, B. A systematic review of the perceptions of adolescents on graphic health warnings and plain packaging of cigarettes. *Systematic Reviews*, 2019. 8(1), 25. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/30654833>

11A.8.2 Future directions for packaging regulations

Lambert, VC, Ferguson, SG, Niederdeppe, J, Sun, Y, Hackworth, EE, Kim, M et al. (2024). Self-reported attention and responses to cigarette package labels at the end of a two-week randomized trial of cigarette package labeling configurations. *Tob Induc Dis*, 22. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38887598>

Thrasher, JF, Hackworth, EE, Ferguson, SG, Xiang, L, Kim, M, Yang, CH et al. (2024). Differential responses to cigarette package labeling alternatives among adults who smoke: Results from a randomized trial. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38850013>

Gascoyne, C, Li, R, Scollo, M, Wakefield, MA, & Brennan, E. (2024). Tobacco packaging littering behaviours among Australian adults who smoke: findings from cross-sectional and observational studies to inform the implementation of cigarette pack inserts. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/38448225>

Tseng, TY, Welding, K, Saenz-de-Miera, B, Grilo, G, & Cohen, JE. (2023). The Use of Packaging Descriptors in a Rapidly Growing Market for Capsule Cigarettes: Evidence From Mexico. *Nicotine Tob Res*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/37987638>

Loud, EE, Lambert, VC, Porticella, N, Niederdeppe, J, & Thrasher, JF. (2021). Evaluating Cigarette Pack Insert Messages with Tips to Quit. *Tob Regul Sci*, 7(3), 203-209. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35546961>

van Mourik, DJA, Nagelhout, GE, Poole, NL, Willemsen, MC, Candel, M, Moodie, C et al. Non-smoking adolescents' perceptions of dissuasive cigarettes. *Addict Behav Rep*, 15, 100433. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/35620217>

Pennings, JLA, Ferris Wayne, G, Klerx, WNM, Pauwels, C, & Talhout, R. (2021). Variations in cigarette brand characteristics: can consumers tell the difference? *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34845063>

Moodie, C, Best, C, Critchlow, N, Hitchman, S, Stead, M, & McNeill, A. (2021). The impacts of including information about the number of carcinogens in smoke on standardized cigarette packs in the UK. *Eur J Public Health*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/34519345>

Mitchell, D, Critchlow, N, Moodie, C, & Bauld, L. (2020). Reactions to, and trial intentions for, three dissuasive cigarette designs: a cross-sectional survey of adolescents in Scotland. *Tob Control*. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/32817574>

Blank, ML, Hoek, J, & Gendall, P. (2020). Roll-your-own smokers' reactions to cessation-efficacy messaging integrated into tobacco packaging design: a sequential mixed-methods study. *Tob Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32404520>

Brennan, E, Ilchenko, E, Durkin, SJ, & Wakefield, MA. (2020). Public support for introducing cigarette pack inserts in Australia. *Tobacco Control*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/32054727>

Blackwell, AKM, Lee, I, Scollo, M, Wakefield, M, Munafò, MR, & Marteau, TM. (2019). Should cigarette pack sizes be capped? *Addiction*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31376200>

Moran Stritch, MJ, Houghton, F, O'Doherty, D, McInerney, D, & Duncan, B. (2019). Tobacco control and 'plain packaging': performativity, cigarettes and the semiotics of brand names. *Ir J Med Sci*. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/31325021>

News reports:

Sanderson D. 'Green cigarettes would stop young people smoking'. The Times, 2017. Available from: <https://www.thetimes.co.uk/article/green-cigarettes-would-stop-young-people-smoking-lxwj0cwb7>

Wynne-Jones S. Australian government announces plain-packaging review, in *ES Magazine* 2015: UK. Available from: <http://www.esmmagazine.com/australian-government-announces-plain-packaging-review/8629>.

Russell B. Half million youngsters to die smoking unless we make changes, warns charity Daily Express, 2015. Available from: <http://www.express.co.uk/life-style/health/560699/Half-million-youngsters-die-smoking-later-life-warns-Cancer-Research-UK>

Rosell S. Pleased as punch. Tobacco Reporter, 2015. Available from: <http://www.ash.org.uk/files/SimonChapmanTobReporter.pdf>

Rathi A. The data on plain cigarette packaging that tobacco companies don't want you to see. Yahoo! Finance, 2015. Available from: <http://finance.yahoo.com/news/data-plain-cigarette-packaging-tobacco-162940466.html>

No authors listed. Plain cigarette packaging changes attitudes to smoking but doesn't impact smoking behaviour in the short term. Health Canal, 2015. Available from: <http://www.healthcanal.com/public-health-safety/61244-plain-cigarette-packaging-changes-attitudes-to-smoking-but-doesn%E2%80%99t-impact-smoking-behaviour-in-the-short-term.html>

listed Na. Cigarette plain packaging to cost big tobacco us\$5bn a year, says goldman sachs. Share Cast, 2015. Available from: <http://www.sharecast.com/news/cigarette-plain-packaging-to-cost-big-tobacco-usd5bn-a-year-says-goldman-sachs/23709012.html>

listed Na. Nz smoking rates decrease - but not as fast as australia. The New Zealand Herald, 2015. Available from: http://www.nzherald.co.nz/lifestyle/news/article.cfm?c_id=6&objectid=11520097

Clarke J. Tobacco branding warning from bhf. The Herald Scotland, 2015. Available from: <http://www.heraldscotland.com/news/health/tobacco-branding-warning-from-bhf.115629157>

Cant J. Comment: Plain cigarette packets will work. The Scotsman, 2015. Available from: <http://www.scotsman.com/news/comment-plain-cigarette-packets-will-work-1-3687660>

No authors listed. British American Tobacco spokesperson claims smoking among young people going up with plain packaging. ABC News, 2014. Available from: <http://www.abc.net.au/newsradio/content/s4137113.htm>

No authors listed. Smoking hit in australia - campaigner. Radio New Zealand News, 2014. Available from: <http://www.radionz.co.nz/news/national/258935/smoking-hit-in-australia-campaigner>

Desloires V. More smokers support plain packaging, an international tobacco control survey shows. *The Sydney Morning Herald*, 2014. Available from: <http://www.smh.com.au/national/more-smokers-support-plain-packaging-an-international-tobacco-control-survey-shows-20141111-11kiac.html>

11A.8.2 Future directions for packaging regulations

Gartner, C, Hoek, J, & Edwards, R. Banning menthol cigarettes and more health warnings are only the start. Australia could look to NZ for how to do tobacco control. *The Conversation*, 2022. December 1, 2022. Retrieved from <https://theconversation.com/banning-menthol-cigarettes-and-more-health-warnings-are-only-the-start-australia-could-look-to-nz-for-how-to-do-tobacco-control-195710>

Butler, M. Ten years of world-leading reforms and reigniting the fight against tobacco addiction. *Ministers: Department of Health and Aged Care*, 2022. Nov 30, 2022. Retrieved from <https://www.health.gov.au/ministers/the-hon-mark-butler-mp/media/ten-years-of-world-leading-reforms-and-reigniting-the-fight-against-tobacco-addiction>

No authors listed. (2019). *Advancing our health: prevention in the 2020s – consultation document* United Kingdom. Available from: <https://www.gov.uk/government/consultations/advancing-our-health-prevention-in-the-2020s/advancing-our-health-prevention-in-the-2020s-consultation-document>.

Stevens, J. Smoking must be stamped out in the UK within 11 years, according to timeline set out in ambitious new Government plan. *Daily Mail Australia*, 2019. July 9, 2019. Available from: <https://www.dailymail.co.uk/news/article-7226247/Smoking-stamped-UK-11-years-according-new-Government-plan.html>

No authors listed. Message packs a punch in tobacco fight. *Herald Sun*, 2019. May 15, 2019. Available from: https://customreport.mediaportal.com/#/articlepresenter/0acab73e7058b854c77b5ceb1adde477/492263057/1140533099?_k=go5m9v